

CERTIFICATE

TÜV NORD CERT GmbH
herewith declares that

Risen Energy Co., Ltd.
Meilin, Ninghai, 315609 Ningbo, Zhejiang,
PEOPLE'S REPUBLIC OF CHINA

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

Valid until: 2026-07-26

Certification program:	P12-VA-01 Rev. 17 09.20
Certification fundamental(s):	IEC 62716:2013 / EN 62716:2013 + AC:2014.
Registered No.:	44 780 19 406749 - 327R16A7M19
Manufacturer:	see Annex 1
Test Report No.:	492010678.026
File No.:	PVP08133/23P-01



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Essen, 2023-11-29

Please also pay attention to the information stated overleaf.

Manufacturer:

- Manufacturer 1: **Risen Energy (CHANGZHOU) Co., Ltd.**
No.1, Shuinan Road Industrial Concentration Area, Zhixi Town, Jintan District 213251 Changzhou City, Jiangsu Province PEOPLE'S REPUBLIC OF CHINA
Factory inspection report no.: 862010430.005
- Manufacturer 2: **Risen Energy (YIWU) Co., Ltd.**
No.599, Sufu Road Suxi Town 322000 Yiwu City, Zhejiang Province PEOPLE'S REPUBLIC OF CHINA
Factory inspection report no.: 862010464.005
- Manufacturer 3: **Risen Energy (Chuzhou) Co., Ltd.**
No.325, East Tongling Road, 239000 Chuzhou City Anhui, China
Factory inspection report no.: 862010547.003
- Manufacturer 4: **Risen Energy (Ningbo) Co., Ltd.**
No.1, Middle Xingke Road Ninghai County 315609 Ningbo City, Zhejiang Province PEOPLE'S REPUBLIC OF CHINA
Factory inspection report no.: 862010656.003
- Manufacturer 5: **RISEN SOLAR TECHNOLOGY SDN. BHD.**
NO 3, JALAN HI-TECH 14, ZON INDUSTRI FASA 4 KULIM HI-TECH PARK 09090 KULIM, KEDAH DARUL AMAN MALAYSIA
Factory inspection report no.: 862010604.002
- Manufacturer 6: **Risen Energy (Baotou) Co., Ltd.**
Baotou Jinshan Industrial Park, Guyang County, Baotou City 014200 Inner Mongolia Autonomous Region PEOPLE'S REPUBLIC OF CHINA
Factory inspection report no.: 862010717.002



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Manufacturer 7: **Risen Solar (Ningbo) Technology Co., Ltd.**
No. 5, Jinhai East Road, Binhai New Area Ninghai 315602 Ningbo City,
Zhejiang Province PEOPLE'S REPUBLIC OF CHINA

Factory inspection report no.: 862010814.001

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types: **Double Glass PV Modules with 6" Poly-crystalline Silicon Solar Cells:**

72 cells: RSM72-6-xxxPDG (xxx=315 - 360, increments of 5)
60 cells: RSM60-6-xxxPDG (xxx=265 - 300, increments of 5)
144 cells: RSM144-6-xxxPDG (xxx=330 - 365, increments of 5)
120 cells: RSM120-6-xxxPDG (xxx=275 - 305, increments of 5)

Maximum system voltage: 1500V

Fuse rating: 20A

Application class: Class A

Electrical protection class: Class II

Module types: **Double Glass PV Modules with 6" Mono-crystalline Silicon Solar Cells:**

72 cells: RSM72-6-xxxMDG (xxx=315 - 385, increments of 5)
60 cells: RSM60-6-xxxMDG (xxx=265 - 320, increments of 5)
144 cells: RSM144-6-xxxMDG (xxx=350 - 415, increments of 5)
132 cells: RSM132-6-xxxMDG (xxx=320 - 380, increments of 5)
120 cells: RSM120-6-xxxMDG (xxx=295 - 350, increments of 5)

Maximum system voltage: 1500V

Fuse rating: 20A

Application class: Class A

Electrical protection class: Class II

Module types: **Double Glass PV Modules with 6" Mono p-type Bifacial Solar Cells:**

72 cells: RSM72-6-xxxBMDG (xxx=340 - 385, increments of 5)
60 cells: RSM60-6-xxxBMDG (xxx=280 - 325, increments of 5)
144 cells: RSM144-6-xxxBMDG (xxx=360 - 455, increments of 5)
144 cells: RSM144-7-xxxBMDG (xxx=425 - 455, increments of 5)
144 cells: RSM144-7-xxxBMDGZ (xxx=425 - 455, increments of 5)
132 cells: RSM132-6-xxxBMDG (xxx=330 - 420, increments of 5)
132 cells: RSM132-7-xxxBMDG (xxx=390 - 420, increments of 5)
132 cells: RSM132-7-xxxBMDGZ (xxx=390 - 420, increments of 5)
120 cells: RSM120-6-xxxBMDG (xxx=300 - 380, increments of 5)
120 cells: RSM120-7-xxxBMDG (xxx=355 - 380, increments of 5)
120 cells: RSM120-7-xxxBMDGZ (xxx=355 - 380, increments of 5)

Remark: The power parameter included in the module types only



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Aktenzeichen: / File reference: PVP08133/23P-01

indicates maximum power output of front side.

Maximum system voltage: 1500V
Fuse rating: 20A or 25A
Application class: Class A
Electrical protection class: Class II

Module types:

Double Glass PV Modules with 7" Mono p-type Bifacial Solar Cells:

144 cells: RSM144-9-xxxBMDG (xxx=520 - 560, increments of 5)

132 cells: RSM132-9-xxxBMDG (xxx=480 - 510, increments of 5)

120 cells: RSM120-9-xxxBMDG (xxx=435 - 465, increments of 5)

Remark: The power parameter included in the module types only indicates maximum power output of front side.

Maximum system voltage: 1500V
Fuse rating: 20A or 25A
Application class: Class A
Electrical protection class: Class II

Module types:

Double Glass PV Modules with 8" Mono p-type Bifacial Solar Cells:

150 cells: RSM150-8-xxxBMDG (xxx=465 - 510, increments of 5)

90 cells: RSM90-8-xxxBMDG (xxx=285 - 300, increments of 5)

132 cells: RSM132-8-xxxBMDG (xxx=635 - 675, increments of 5)

120 cells: RSM120-8-xxxBMDG (xxx=560 - 615, increments of 5)

110 cells: RSM110-8-xxxBMDG (xxx=525 - 565, increments of 5)

80 cells: RSM80-8-xxxBMDG (xxx=380 - 405, increments of 5)

264 cells: RSM264-8-xxxBMDG (xxx=645 to 670, increments of 5)

Remark: The power parameter included in the module types only indicates maximum power output of front side.

Maximum system voltage: 1500V
Fuse rating: 25A or 35A
Application class: Class A
Electrical protection class: Class II

Module types:

Double Glass PV Modules with 6" Mono n-type Bifacial Solar Cells:

156 cells: RSM156-6-xxxBHDG (xxx=435 - 465, increments of 5)

144 cells: RSM144-6-xxxBHDG (xxx=400 - 430, increments of 5)

144 cells: RSM144-6-xxxHDGB (xxx=400 - 430, increments of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

132 cells: RSM132-6-xxxBHDG (xxx=365 - 390, increments of 5)
132 cells: RSM132-6-xxxHDGB (xxx=365 - 390, increments of 5)
120 cells: RSM120-6-xxxBHDG (xxx=330 - 360, increments of 5)
120 cells: RSM120-6-xxxHDGB (xxx=330 - 360, increments of 5)
Remark: The power parameter included in the module types only indicates maximum power output of front side.

Maximum system voltage: 1500V
Fuse rating: 20A or 25A
Application class: Class A
Electrical protection class: Class II

Module types:

Double Glass PV Modules with 8" Mono n-type Bifacial Solar Cells:

132 cells: RSM132-8-xxxBNDG (xxx=665 - 695, increments of 5)
120 cells: RSM120-8-xxxBNDG (xxx=605 - 635, increments of 5)
110 cells: RSM110-8-xxxBNDG (xxx=550 - 580, increments of 5)
132 cells: RSM132-8-xxxBHDG (xxx=650 - 715, increments of 5)
120 cells: RSM120-8-xxxBHDG (xxx=590 - 655, increments of 5)
110 cells: RSM110-8-xxxBHDG (xxx=540 - 600, increments of 5)
Remark: The power parameter included in the module types only indicates maximum power output of front side.


Maximum system voltage: 1500V
Fuse rating: 35A
Application class: Class A
Electrical protection class: Class II

Module types:

Double Glass PV Modules with 7" Mono n-type Bifacial Solar Cells:

156 cells: RSM156-9-xxxBNDG (xxx=605 - 630, increments of 5)
144 cells: RSM144-9-xxxBNDG (xxx=550 - 590, increments of 5)
120 cells: RSM120-9-xxxBNDG (xxx=455 - 490, increments of 5)
108 cells: RSM108-9-xxxBNDG (xxx=410 - 440, increments of 5)
Remark: The power parameter included in the module types only indicates maximum power output of front side.

Maximum system voltage: 1500V
Fuse rating: 30A
Application class: Class A
Electrical protection class: Class II



TUV NORD CERT GmbH
Certification Body
Consumer Products

Module types:	Double Glass PV Modules with 7" Mono n-type Bifacial Solar Cells: 144 cells: RSM144-10-xxxBNDG (xxx=570 - 610, increments of 5) 120 cells: RSM120-10-xxxBNDG (xxx=475 - 500, increments of 5) 108 cells: RSM108-10-xxxBNDG (xxx=425 - 460, increments of 5) Remark: The power parameter included in the module types only indicates maximum power output of front side.
Maximum system voltage:	1500V
Fuse rating:	30A
Application class:	Class A
Electrical protection class:	Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products